





Work Benches


Republicsteel



work benches with steel tops

The Republic Work Bench with Steel Top is designed for heavy duty bench work. The steel top is constructed of heavy gage steel channel formed at front and rear for maximum strength. The legs and cross members are also of heavy gage channel formed steel. The bases of the legs are flared and drilled for anchoring to the floor.

Accessories such as shelves, drawers, risers or back and side rails may be added to meet individual working needs.



1 3/4"
steel top—
with stringer

NUMBER	WIDTH	DEPTH	HEIGHT
441608	48"	28"	30 3/4"
441609	48"	34"	30 3/4"
441617	48"	28"	33"
441618	48"	34"	33"
441001	48"	28"	34"
441002	48"	34"	34"
441626	48"	28"	35 1/4"
441627	48"	34"	35 1/4"
441635	48"	28"	37 1/8"
441636	48"	34"	37 1/8"







441611	60"	28"	30 3/4"
441612	60"	34"	30 3/4"
441620	60"	28"	33"
441621	60"	34"	33"
441003	60"	28"	34"
441004	60"	34"	34"
441629	60"	28"	35 1/4"
441630	60"	34"	35 1/4"
441638	60"	28"	37 1/8"
441639	60"	34"	37 1/8"

441614	72"	28"	30 3/4"
441615	72"	34"	30 3/4"
441623	72"	28"	33"
441624	72"	34"	33"
441005	72"	28"	34"
441006	72"	34"	34"
441632	72"	28"	35 1/4"
441633	72"	34"	35 1/4"
441641	72"	28"	37 1/8"
441642	72"	34"	37 1/8"

445337	48"	28"	30 3/4"
445338	48"	34"	30 3/4"
445346	48"	28"	33"
445347	48"	34"	33"
441011	48"	28"	34"
441012	48"	34"	34"
445355	48"	28"	35 1/4"
445356	48"	34"	35 1/4"
445364	48"	28"	37 1/8"
445365	48"	34"	37 1/8"

445340	60"	28"	30 3/4"
445341	60"	34"	30 3/4"
445349	60"	28"	33"
445350	60"	34"	33"
441013	60"	28"	34"
441014	60"	34"	34"
445358	60"	28"	35 1/4"
445359	60"	34"	35 1/4"
445367	60"	28"	37 1/8"
445368	60"	34"	37 1/8"

445343	72"	28"	30 3/4"
445344	72"	34"	30 3/4"
445352	72"	28"	33"
445353	72"	34"	33"
441015	72"	28"	34"
441016	72"	34"	34"
445361	72"	28"	35 1/4"
445362	72"	34"	35 1/4"
445370	72"	28"	37 1/8"
445371	72"	34"	37 1/8"



1 3/4"
steel top—
with shelf &
stringer


republic

work benches with pressed wood over steel tops

The Pressed Wood over Steel Top is ideal for heavy duty precision, instrument or electrical work. The tempered pressed wood is securely and permanently cemented to a heavy steel top. Wood will not warp or splinter.

The legs and cross members are of heavy gage channel formed steel. The bases of the legs are flared and drilled for anchoring to the floor.

Accessories such as shelves, drawers, risers or back and side rails may be added to meet individual working needs.



1 3/4"
pressed wood
over steel top -
with stringer

NUMBER WIDTH DEPTH HEIGHT

441644	48"	28"	30 3/4"
441645	48"	34"	30 3/4"
441653	48"	28"	33"
441654	48"	34"	33"
441021	48"	28"	34"
441022	48"	34"	34"
441662	48"	28"	35 1/4"
441663	48"	34"	35 1/4"
441671	48"	28"	37 1/8"
441672	48"	34"	37 1/8"







441647	60"	28"	30 3/4"
441648	60"	34"	30 3/4"
441656	60"	28"	33"
441657	60"	34"	33"
441023	60"	28"	34"
441024	60"	34"	34"
441665	60"	28"	35 1/4"
441666	60"	34"	35 1/4"
441674	60"	28"	37 1/8"
441675	60"	34"	37 1/8"

441650	72"	28"	30 3/4"
441651	72"	34"	30 3/4"
441659	72"	28"	33"
441660	72"	34"	33"
441025	72"	28"	34"
441026	72"	34"	34"
441668	72"	28"	35 1/4"
441669	72"	34"	35 1/4"
441677	72"	28"	37 1/8"
441678	72"	34"	37 1/8"

445373	48"	28"	30 3/4"
445374	48"	34"	30 3/4"
445382	48"	28"	33"
445383	48"	34"	33"
441031	48"	28"	34"
441032	48"	34"	34"
445391	48"	28"	35 1/4"
445392	48"	34"	35 1/4"
445400	48"	28"	37 1/8"
445401	48"	34"	37 1/8"

445376	60"	28"	30 3/4"
445377	60"	34"	30 3/4"
445385	60"	28"	33"
445386	60"	34"	33"
441033	60"	28"	34"
441034	60"	34"	34"
445394	60"	28"	35 1/4"
445395	60"	34"	35 1/4"
445403	60"	28"	37 1/8"
445404	60"	34"	37 1/8"

445379	72"	28"	30 3/4"
445380	72"	34"	30 3/4"
445388	72"	28"	33"
445389	72"	34"	33"
441035	72"	28"	34"
441036	72"	34"	34"
445397	72"	28"	35 1/4"
445398	72"	34"	35 1/4"
445406	72"	28"	37 1/8"
445407	72"	34"	37 1/8"



ALL REPUBLIC STEEL WORK
BENCHES ARE PHOSPHATIZED
AND FINISHED IN EITHER
L-5 WILLOW GREEN,
L-14 NEUTRAL,
L-50 GRAY OR
#71 BLUE BAKED-ON ENAMEL


republic

work benches with wood tops

The Republic Wood Top is of high quality laminated hard maple, fully seasoned and kiln-dried. Wood tops are generally used for tool and die making, instrument and electrical work, and handling of polished, precision parts.

The legs and cross members are of heavy gage channel formed steel. The bases of the legs are flared and drilled for anchoring to the floor.

Accessories such as shelves, drawers, risers or back and side rails may be added to meet individual working needs.



1 3/4"
laminated
hardwood top—
with stringer

NUMBER WIDTH DEPTH HEIGHT

441715	48"	28"	30 3/4"
441716	48"	34"	30 3/4"
441724	48"	28"	33"
441725	48"	34"	33"
441041	48"	28"	34"
441042	48"	34"	34"
441736	48"	28"	35 1/4"
441737	48"	34"	35 1/4"
441745	48"	28"	37 1/6"
441746	48"	34"	37 1/6"





441718	60"	28"	30 3/4"
441719	60"	34"	30 3/4"
441727	60"	28"	33"
441728	60"	34"	33"
441043	60"	28"	34"
441044	60"	34"	34"
441739	60"	28"	35 1/4"
441740	60"	34"	35 1/4"
441748	60"	28"	37 1/6"
441749	60"	34"	37 1/6"

441721	72"	28"	30 3/4"
441722	72"	34"	30 3/4"
441730	72"	28"	33"
441731	72"	34"	33"
441045	72"	28"	34"
441046	72"	34"	34"
441742	72"	28"	35 1/4"
441743	72"	34"	35 1/4"
441751	72"	28"	37 1/6"
441752	72"	34"	37 1/6"

445409	48"	28"	30 3/4"
445410	48"	34"	30 3/4"
445418	48"	28"	33"
445419	48"	34"	33"
441051	48"	28"	34"
441052	48"	34"	34"
445427	48"	28"	35 1/4"
445428	48"	34"	35 1/4"
445436	48"	28"	37 1/6"
445437	48"	34"	37 1/6"

445412	60"	28"	30 3/4"
445413	60"	34"	30 3/4"
445421	60"	28"	33"
445422	60"	34"	33"
441053	60"	28"	34"
441054	60"	34"	34"
445430	60"	28"	35 1/4"
445431	60"	34"	35 1/4"
445439	60"	28"	37 1/6"
445440	60"	34"	37 1/6"

445415	72"	28"	30 3/4"
445416	72"	34"	30 3/4"
445424	72"	28"	33"
445425	72"	34"	33"
441055	72"	28"	34"
441056	72"	34"	34"
445433	72"	28"	35 1/4"
445434	72"	34"	35 1/4"
445442	72"	28"	37 1/6"
445443	72"	34"	37 1/6"



1 3/4"
laminated
hardwood top—
with shelf &
stringer

republic

work benches with pressed wood over wood tops

The Republic Composition Top has the highest density and internal bond strength of any composition top—meeting National Electrical Manufacturers Association Standard #1-13-1959.

This bench is designed for electrical and instrument work. The top has a solid core of kiln-dried wood surfaced on both sides with permanently bonded pressed wood sheets. It is non-conductive and will not warp or splinter.



1 3/4"

composition top—
with stringer

NUMBER WIDTH DEPTH HEIGHT

441754	48"	28"	30 3/4"
441755	48"	34"	30 3/4"
441763	48"	28"	33"
441764	48"	34"	33"
441061	48"	28"	34"
441062	48"	34"	34"
441772	48"	28"	35 1/4"
441773	48"	34"	35 1/4"
441781	48"	28"	37 1/8"
441782	48"	34"	37 1/8"







441757	60"	28"	30 3/4"
441758	60"	34"	30 3/4"
441766	60"	28"	33"
441767	60"	34"	33"
441063	60"	28"	34"
441064	60"	34"	34"
441775	60"	28"	35 1/4"
441776	60"	34"	35 1/4"
441784	60"	28"	37 1/8"
441785	60"	34"	37 1/8"

441760	72"	28"	30 3/4"
441761	72"	34"	30 3/4"
441769	72"	28"	33"
441770	72"	34"	33"
441065	72"	28"	34"
441066	72"	34"	34"
441778	72"	28"	35 1/4"
441779	72"	34"	35 1/4"
441787	72"	28"	37 1/8"
441788	72"	34"	37 1/8"

445445	48"	28"	30 3/4"
445446	48"	34"	30 3/4"
445454	48"	28"	33"
445455	48"	34"	33"
441071	48"	28"	34"
441072	48"	34"	34"
445463	48"	28"	35 1/4"
445464	48"	34"	35 1/4"
445472	48"	28"	37 1/8"
445473	48"	34"	37 1/8"

445448	60"	28"	30 3/4"
445449	60"	34"	30 3/4"
445457	60"	28"	33"
445458	60"	34"	33"
441073	60"	28"	34"
441074	60"	34"	34"
445466	60"	28"	35 1/4"
445467	60"	34"	35 1/4"
445475	60"	28"	37 1/8"
445476	60"	34"	37 1/8"

445451	72"	28"	30 3/4"
445452	72"	34"	30 3/4"
445460	72"	28"	33"
445461	72"	34"	33"
441075	72"	28"	34"
441076	72"	34"	34"
445469	72"	28"	35 1/4"
445470	72"	34"	35 1/4"
445478	72"	28"	37 1/8"
445479	72"	34"	37 1/8"



ALL REPUBLIC STEEL WORK
BENCHES ARE PHOSPHATIZED
AND FINISHED IN EITHER
L-5 WILLOW GREEN,
L-14 NEUTRAL,
L-50 GRAY OR
#71 BLUE BAKED-ON ENAMEL

republic

cabinet benches

Sturdy bench mounting for small grinders, vises or office machines. Double doors with built-in lock. Adjustable shelf. No. 445600, 36" W x 24" D x 34" H.

work benches wood working type

The Republic Wood Working Type Bench is usually used in school wood working shops. It is ideal for instruction work. The top is accessible from all sides. It is a high quality laminated hard maple top, fully seasoned and kiln-dried.

These units are ideal for neat, accessible storage of tools and material. Three types are available, in either single or double face styles.

single face
8 drawers,
2 bases

NUMBER	WIDTH	DEPTH	HEIGHT
--------	-------	-------	--------

441813	60"	28"	30 $\frac{3}{4}$ "
441814	60"	28"	33"
441803	60"	28"	34"
441826	60"	28"	35 $\frac{1}{4}$ "
441827	60"	28"	37 $\frac{1}{16}$ "

double face
16 drawers,
4 bases

441828	64"	50"	30 $\frac{3}{4}$ "
441829	64"	50"	33"
441804	64"	50"	34"
441830	64"	50"	35 $\frac{1}{4}$ "
441831	64"	50"	37 $\frac{1}{16}$ "

single face
2 cabinets,
2 bases

441832	60"	28"	30 $\frac{3}{4}$ "
441833	60"	28"	33"
441805	60"	28"	34"
441834	60"	28"	35 $\frac{1}{4}$ "
441835	60"	28"	37 $\frac{1}{16}$ "

double face
4 cabinets,
4 bases

441836	64"	50"	30 $\frac{3}{4}$ "
441837	64"	50"	33"
441806	64"	50"	34"
441838	64"	50"	35 $\frac{1}{4}$ "
441839	64"	50"	37 $\frac{1}{16}$ "

single face
6 openings

441801	60" Long	28" Deep	34" High
--------	----------	----------	----------

double face
12 openings

441802	64" Long	50" Deep	34" High
--------	----------	----------	----------

Each locker opening size: 12" Wide x 21" Deep x 15" High.

CABINET BENCH



No. 445600

DRAWER BASE



No. 441803

CABINET BASE



No. 441805

BOX LOCKER BASE



No. 441802

ALL REPUBLIC STEEL WORK BENCHES ARE PHOSPHATIZED AND FINISHED IN EITHER L-5 WILLOW GREEN, L-14 NEUTRAL, L-50 GRAY OR #71 BLUE BAKED-ON ENAMEL

work bench accessories & parts

STEEL TOPS

Strong, heavy gage steel tops are best for long life, heavy duty bench requirements. Steel tops have 1 $\frac{3}{4}$ " face.

441201 48" x 28"	441202 48" x 34"
441203 60" x 28"	441204 60" x 34"
441205 72" x 28"	441206 72" x 34"

PRESSED WOOD OVER STEEL TOPS

Masonite tempered pressed wood bonded to heavy gage steel top. Channel binding protects front and rear edges. Pressed wood over steel tops have 1 $\frac{3}{4}$ " face.

441211 48" x 28"	441212 48" x 34"
441213 60" x 28"	441214 60" x 34"
441215 72" x 28"	441216 72" x 34"

WOOD TOPS

Wood tops are made from laminated hard maple strips 1 $\frac{3}{4}$ " thick. Sanded smooth surface and natural finish.

441221 48" x 28"	441222 48" x 34"
441223 60" x 28"	441224 60" x 34"
441225 72" x 28"	441226 72" x 34"

COMPOSITION TOPS

Tempered pressed wood surfaces with laminated kiln-dried wood core. Top is 1 $\frac{3}{4}$ " thick.

441231 48" x 28"	441232 48" x 34"
441233 60" x 28"	441234 60" x 34"
441235 72" x 28"	441236 72" x 34"

BACK AND SIDE RAILS

Back and side rails extend 3" above top.

441121	441124
For 48" x 28" Bench	For 48" x 34" Bench
441122	441125
For 60" x 28" Bench	For 60" x 34" Bench
441123	441126
For 72" x 28" Bench	For 72" x 34" Bench

BACK RAIL

Back rail extends 3" above top.

441127	441128	441129
For 48" Wide Benches	For 60" Wide Benches	For 72" Wide Benches

RISERS

For storage above bench top. Risers are 10 $\frac{1}{2}$ " deep and extend 12" above bench top.

441131	441132	441133
For 48" Wide Benches	For 60" Wide Benches	For 72" Wide Benches

SHELVES

Shelf attaches to lower cross member of leg assembly. Is 13 $\frac{1}{2}$ " deep with 1 $\frac{1}{2}$ " flange at back. Used for 28" and 34" deep benches.


441141	441142	441143
For 48" Wide Benches	For 60" Wide Benches	For 72" Wide Benches

STRINGERS

Stringer is 6" wide and is used for rigidity by tying bench legs together.

441151	441152	441153
For 48" Wide Benches	For 60" Wide Benches	For 72" Wide Benches


All Republic Bench Legs are supplied with knockout for electrical outlet.




republic

typical work bench arrangements

These are only a few of the many combinations made possible through the use of a variety of parts and accessories.



bench legs and risers



Strong, sturdy, heavy gage channel formed steel construction designed for maximum rigidity; may be used interchangeably as an end or intermediate upright.

Top cross member is securely welded to legs and punched for practical top attachment.

Knockout on leg for handy electrical outlet.



Legs are punched for practical stringer attachment.

Lower cross member is welded to leg and punched for shelf attachment.

Foot of leg is flared and formed with a 90 degree angle which is punched for anchoring to the floor.

Designed for use with steel or wood bench tops.

Number	Depth	Height
441154	28"	29"
441157	28"	31 $\frac{1}{4}$ "
441161	28"	32 $\frac{1}{4}$ "
441163	28"	33 $\frac{1}{2}$ "
441166	28"	35 $\frac{1}{8}$ "
441155	34"	29"
441158	34"	31 $\frac{1}{4}$ "
441162	34"	32 $\frac{1}{4}$ "
441164	34"	33 $\frac{1}{2}$ "
441167	34"	35 $\frac{1}{8}$ "



Single bench leg used as an intermediate support.

For use with all standard work bench tops. When used with steel tops, attaching angles No. 441111-28" or No. 441112-34" are required.

You can make modern work benches by using Republic's flush type modular legs and risers. Simple design... sturdy construction.

Both legs and risers are equipped with a removable panel for easy access to electrical wiring, and for attaching to bench top and riser top. The front face is provided with an electrical knockout. If you want to use two legs to make a bench, a standard bench stringer can be attached by using holes provided in the rear face of each leg.

LEGS

Electrical knockout. One removable panel. Heights—29" and 32 $\frac{1}{4}$ ". Snap-in glide buttons for bottom

Number	Size
441490	4 x 20 x 29
441487	4 x 20 x 32 $\frac{1}{4}$


RISERS

Electrical knockout. One removable panel. Heights—15" and 20"

Number	Size
441491	4 x 8 x 15
441492	4 x 8 x 20

RISER WOOD TOPS

Number	Size	Number	Size
441243	48 x 10	441246	60 x 15
441244	48 x 15	441247	72 x 10
441245	60 x 10	441248	72 x 15



republic

work benches

cabinet style


Cabinet Benches are adaptable to many types of work requirements. They are especially suited to tool rooms, laboratories, instrument shops, etc.

The Republic Cabinet Bench is a strong, sturdy, well-engineered unit available in a variety of styles, with a full line of accessories.


Cabinet Benches are shipped one to a carton with no top, one intermediate shelf and one bottom shelf.

Number	Wide	Deep	High
441297	48" x 28" x 32¼"		
441298	60" x 28" x 32¼"		
441299	72" x 28" x 32¼"		

To make the cabinet of your choice, add accessories, standard work bench tops, drawers and sliding doors.



TYPICAL ARRANGEMENTS




SLIDING DOORS FOR CABINET TYPE BENCHES

Doors can be quickly and easily installed. They operate smoothly on nylon rollers. They are supplied with recessed handles and built-in lock.


No. 441391	48" Wide
No. 441392	60" Wide
No. 441393	72" Wide

ALL REPUBLIC STEEL WORK BENCHES ARE PHOSPHATIZED AND FINISHED IN EITHER L-5 WILLOW GREEN, L-14 NEUTRAL, L-50 GRAY OR #71 BLUE BAKED-ON ENAMEL.




bench drawers

The Republic Bench Drawer is designed for use with any Republic Work Bench or Tool Stand. They may be used individually on benches or when bolted together, as free-standing units. Each unit is equipped with an inner sliding tray, drawer stop and padlock attachment. Drawers operate easily on nylon rollers.



Shown in the insets are close-ups of the padlock hasp, and knock-out to accept cylinder or flat key lock.




No. 441101 drawer. Attaching angles needed for affixing unit to steel tops. No attaching angles are needed for wood tops.



No. 441111 Attaching Angle is used for 28" deep tops.

No. 441112 Attaching Angle is used for 34" deep tops.

Two sizes available: No. 441101—16" W x 20" D x 6¾" H. No. 441102—22" W x 20" D x 6¾" H. Drawers are phosphatized and finished in either L-5 Willow Green, L-14 Neutral, L-50 Gray or #71 Blue baked-on enamel.



No. 441101 drawer with No. 441113 Spacer Clip and No. 441111 Attaching Angle for use with the cabinet type Republic Work Bench with Sliding Doors.



Bolt Drawer Cases together in any desired number to suit individual needs.

republic

work benches

modular type

Individually or in group arrangements the Modular Type Republic Work Bench can be tailored to your specific working requirements. The No. 441401 unit, depicted here, consists of 1 steel top; 4 drawers; 1 cabinet, with adjustable shelf; and 2 bases. The top is of heavy gage steel, channel formed at front and rear, and properly reinforced for maximum strength.

Each No. 441101 drawer is equipped with padlock hasp, inner sliding tray, drawer stop and nylon glides for easy operation. Built-in lock is optional.

This unit is also available with wood, pressed wood over wood and pressed wood over steel tops.



No. 441401

NUMBER	WIDTH	DEPTH	HEIGHT
--------	-------	-------	--------

445501	60"	28"	30 $\frac{3}{4}$ "
445502	60"	28"	33"
441401	60"	28"	34"
445503	60"	28"	35 $\frac{1}{4}$ "
445504	60"	28"	37 $\frac{1}{8}$ "

445505	72"	28"	30 $\frac{3}{4}$ "
445506	72"	28"	33"
441402	72"	28"	34"
445507	72"	28"	35 $\frac{1}{4}$ "
445508	72"	28"	37 $\frac{1}{8}$ "

445509	60"	28"	30 $\frac{3}{4}$ "
445510	60"	28"	33"
441403	60"	28"	34"
445511	60"	28"	35 $\frac{1}{4}$ "
445512	60"	28"	37 $\frac{1}{8}$ "

445513	72"	28"	30 $\frac{3}{4}$ "
445514	72"	28"	33"
441404	72"	28"	34"
445515	72"	28"	35 $\frac{1}{4}$ "
445516	72"	28"	37 $\frac{1}{8}$ "

445517	60"	28"	30 $\frac{3}{4}$ "
445518	60"	28"	33"
441405	60"	28"	34"
445519	60"	28"	35 $\frac{1}{4}$ "
445520	60"	28"	37 $\frac{1}{8}$ "

445521	72"	28"	30 $\frac{3}{4}$ "
445522	72"	28"	33"
441406	72"	28"	34"
445523	72"	28"	35 $\frac{1}{4}$ "
445524	72"	28"	37 $\frac{1}{8}$ "


445525	60"	28"	30 $\frac{3}{4}$ "
445526	60"	28"	33"
441407	60"	28"	34"
445527	60"	28"	35 $\frac{1}{4}$ "
445528	60"	28"	37 $\frac{1}{8}$ "

445529	72"	28"	30 $\frac{3}{4}$ "
445530	72"	28"	33"
441408	72"	28"	34"
445531	72"	28"	35 $\frac{1}{4}$ "
445532	72"	28"	37 $\frac{1}{8}$ "


441439	16"	20"	2"
441440	16"	20"	4 $\frac{1}{4}$ "
441441	16"	20"	5 $\frac{1}{4}$ "

441442	16"	20"	6 $\frac{1}{2}$ "
441443	16"	20"	8 $\frac{1}{8}$ "


STEEL TOP




PRESSED WOOD OVER STEEL TOP




WOOD TOP




COMPOSITION TOP



PEDESTAL PARTS for Modular Type Bench



No. 441451
Optional Back 16" W x 20" D x 27" H
May be used to finish back of four No. 441101 drawers.



No. 441431

Cabinet Unit 16" W x 20" D x 27" H with 441441 Base. Cabinet and base must be ordered and priced separately.

Equipped with adjustable shelf and lock built in the handle.

work benches modular type

This is modular bench No. 441411. It is composed of 8 drawers, 2 bases and 1 steel top. The top is of heavy gage steel channel formed at front and rear, and properly reinforced for maximum strength. The No. 441101 drawers are equipped with padlock hasps, inner sliding trays, drawer stops and nylon glides. Built-in lock is optional. This unit is also available with wood, composition and pressed wood over steel tops.

This is modular bench No. 441421. It consists of 1 steel top, 2 cabinets and 2 bases. Each cabinet is equipped with an adjustable shelf and a lock built in the handle. This unit is also available with wood, composition and pressed wood over steel tops.



No. 441411



No. 441421

NUMBER	WIDTH	DEPTH	HEIGHT
445533	60"	28"	30 $\frac{3}{4}$ "
445534	60"	28"	33"
441411	60"	28"	34"
445535	60"	28"	35 $\frac{1}{4}$ "
445536	60"	28"	37 $\frac{1}{8}$ "

445541	60"	28"	30 $\frac{3}{4}$ "
445542	60"	28"	33"
441413	60"	28"	34"
445543	60"	28"	35 $\frac{1}{4}$ "
445544	60"	28"	37 $\frac{1}{8}$ "

445549	60"	28"	30 $\frac{3}{4}$ "
445550	60"	28"	33"
441415	60"	28"	34"
445551	60"	28"	35 $\frac{1}{4}$ "
445552	60"	28"	37 $\frac{1}{8}$ "

445557	60"	28"	30 $\frac{3}{4}$ "
445558	60"	28"	33"
441417	60"	28"	34"
445559	60"	28"	35 $\frac{1}{4}$ "
445560	60"	28"	37 $\frac{1}{8}$ "

445565	60"	28"	30 $\frac{3}{4}$ "
445566	60"	28"	33"
441421	60"	28"	34"
445567	60"	28"	35 $\frac{1}{4}$ "
445568	60"	28"	37 $\frac{1}{8}$ "

445573	60"	28"	30 $\frac{3}{4}$ "
445574	60"	28"	33"
441423	60"	28"	34"
445575	60"	28"	35 $\frac{1}{4}$ "
445576	60"	28"	37 $\frac{1}{8}$ "

445581	60"	28"	30 $\frac{3}{4}$ "
445582	60"	28"	33"
441425	60"	28"	34"
445583	60"	28"	35 $\frac{1}{4}$ "
445584	60"	28"	37 $\frac{1}{8}$ "

445589	60"	28"	30 $\frac{3}{4}$ "
445590	60"	28"	33"
441427	60"	28"	34"
445591	60"	28"	35 $\frac{1}{4}$ "
445592	60"	28"	37 $\frac{1}{8}$ "

NUMBER	WIDTH	DEPTH	HEIGHT
445537	72"	28"	30 $\frac{3}{4}$ "
445538	72"	28"	33"
441412	72"	28"	34"
445539	72"	28"	35 $\frac{1}{4}$ "
445540	72"	28"	37 $\frac{1}{8}$ "

445545	72"	28"	30 $\frac{3}{4}$ "
445546	72"	28"	33"
441414	72"	28"	34"
445547	72"	28"	35 $\frac{1}{4}$ "
445548	72"	28"	37 $\frac{1}{8}$ "

445553	72"	28"	30 $\frac{3}{4}$ "
445554	72"	28"	33"
441416	72"	28"	34"
445555	72"	28"	35 $\frac{1}{4}$ "
445556	72"	28"	37 $\frac{1}{8}$ "

445561	72"	28"	30 $\frac{3}{4}$ "
445562	72"	28"	33"
441418	72"	28"	34"
445563	72"	28"	35 $\frac{1}{4}$ "
445564	72"	28"	37 $\frac{1}{8}$ "


445569	72"	28"	30 $\frac{3}{4}$ "
445570	72"	28"	33"
441422	72"	28"	34"
445571	72"	28"	35 $\frac{1}{4}$ "
445572	72"	28"	37 $\frac{1}{8}$ "

445577	72"	28"	30 $\frac{3}{4}$ "
445578	72"	28"	33"
441424	72"	28"	34"
445579	72"	28"	35 $\frac{1}{4}$ "
445580	72"	28"	37 $\frac{1}{8}$ "


445585	72"	28"	30 $\frac{3}{4}$ "
445586	72"	28"	33"
441426	72"	28"	34"
445587	72"	28"	35 $\frac{1}{4}$ "
445588	72"	28"	37 $\frac{1}{8}$ "

445593	72"	28"	30 $\frac{3}{4}$ "
445594	72"	28"	33"
441428	72"	28"	34"
445595	72"	28"	35 $\frac{1}{4}$ "
445596	72"	28"	37 $\frac{1}{8}$ "


STEEL TOP




PRESSED WOOD OVER STEEL TOP




WOOD TOP




COMPOSITION TOP




STEEL TOP




PRESSED WOOD OVER STEEL TOP



WOOD TOP



COMPOSITION TOP




ALL REPUBLIC STEEL WORK BENCHES ARE PHOSPHATIZED AND FINISHED IN EITHER L-5 WILLOW GREEN, L-14 NEUTRAL, L-50 GRAY OR #71 BLUE BAKED-ON ENAMEL


republic

typical modular type bench combinations


This is a combination of two No. 441401 Modular Benches joined together in a straight line.




This unit is made up of 2 No. 441203 steel tops, joined end-to-end, resting on 8 No. 441101 drawers and 2 No. 441441 bases, with a No. 441431 cabinet and No. 441441 base combination serving as an intermediate support.



This combination is the same as the first example with the addition of a No. 441421 Modular Bench joined perpendicular to its center.



This is Modular Bench No. 441401 with No. 441122 Back and Side Rails, and No. 441132 Riser.



Republicsteel
Industrial Products

CANTON, OHIO 44705